



DESIGN.
ENGINEER.
MANUFACTURE.



Fastener Systems – Lag and Shield

FS-1



Many of the rubber products TCT provides require some form of hardware for mounting. TCT's various fastener systems provide the correct tools for mounting and using your new TCT products. Each fastener system is designed for mounting products to a different surface, making sure you have the best option to fit your needs. All of the fastener systems are rust resistant and easy to install, so you'll quickly be able to start using your TCT products and not spend time installing. Additionally, the fastener systems are also easily removed, so that the products can be easily removed. Not sure which fastener system is best for your applications? Contact our Sales Manager for more information.

Features

Lag and Shield is perfect for use in concrete

Can be used on asphalt when seasonal removal of product is required

Easy to use

Resistant to rust

Specifications

Lag and Shield, total weight is 0.2315lbs

Set Contains The Following:

- 3/8" x 6" Hex head lag screw
- 3/8" SAE Flat Washer
- 3/8" x 3" Long Shield

ADDITIONAL PRODUCTS

- Fastener system used for mounting to different surfaces (FS-3)



www.tire-conversion.com

TCT US
Latham, New York, USA

(518) 372-1300
sales@tire-conversion.com

TCT Europe
Fife, Scotland, UK

+44 (0)131 524 8183
sales-europe@tire-conversion.com

TCT Europe
Christchurch, Dorset, UK

+44 (0)131 524 8183
sales-europe@tire-conversion.com



DESIGN.
ENGINEER.
MANUFACTURE.



Fastner Systems – Rebar Spike

FS-2



Many of the rubber products TCT provides require some form of hardware for mounting. TCT's various fastener systems provide the correct tools for mounting and using your new TCT products. Each fastener system is designed for mounting products to a different surface, making sure you have the best option to fit your needs. All of the fastener systems are rust resistant and easy to install, so you'll quickly be able to start using your TCT products and not spend time installing. Additionally, TCT provides a variety of fastener systems for mounting products to different surfaces. So, if you're looking for a fastener system for your application, contact our Sales Manager for more information.

Features

Rebar Spike is perfect for use on Asphalt, Gravel, or Dirt
Easy to use
Meets many engineering specifications for installation
Welded washer to form a flat surface to make contact with during installation. Prevents the spike from being driven too far in

Specifications

Rebar Spike	
Contains The Following:	
<ul style="list-style-type: none">• 14" long #4 (13 mm) rebar grade 60, with end cut at 45°• 7/16" Grade 8 Thick USS Flat Washer welded to end to forehead on spike	
Weight	0.77 lbs / 0.35 kg

ADDITIONAL PRODUCTS

- Various fastener systems used for mounting to different surfaces (FS-1, FS-3)



www.tire-conversion.com

TCT US
Latham, New York, USA

(518) 372-1300
sales@tire-conversion.com

TCT Europe
Fife, Scotland, UK

+44 (0)131 524 8183
sales-europe@tire-conversion.com

TCT Europe
Christchurch, Dorset, UK

+44 (0)131 524 8183
sales-europe@tire-conversion.com



DESIGN.
ENGINEER.
MANUFACTURE.



Fastener Systems – Galvanized Spike

FS-3



Many of the rubber products TCT provides require some form of hardware for mounting. TCT's various fastener systems provide the correct tools for mounting and using your new TCT products. Each fastener system is designed for mounting products to a different surface, making sure you have the best option to fit your needs. All of the fastener systems are rust resistant and easy to install, so you'll quickly be able to start using your TCT products and not spend time installing. Additionally, the fastener systems are also easily removed, so that the products can be easily removed. Not sure which fastener system is best for your applications? Contact our Sales Manager for more information.

Features

Galvanized spikes and washers are perfect for use in asphalt, gravel or dirt

Resistant to rust

Easy to use

Specifications

Galvanized Spike and Washer

Set Contains The Following

- 12" long x 3/8" galvanized spike
- 3/8" USS Flat Washer

Weight	0.3 lbs each (50 lb. box contains approximately 150)
--------	--

ADDITIONAL PRODUCTS

- Fastener system used for mounting to different surfaces (FS-1)



www.tire-conversion.com

TCT US
Latham, New York, USA

(518) 372-1300
sales@tire-conversion.com

TCT Europe
Fife, Scotland, UK

+44 (0)131 524 8183
sales-europe@tire-conversion.com

TCT Europe
Christchurch, Dorset, UK

+44 (0)131 524 8183
sales-europe@tire-conversion.com