




DESIGN.  
ENGINEER.  
MANUFACTURE.



# VR-206-10M Speed Hump

VR-206-10M



When designing parking lots, it is important to ensure both pedestrian and driver safety. Using bumps, humps and parking stops from TCT can increase customer safety while limiting potential damage. Speed bumps and humps ensure that drivers decrease their speed in high-traffic areas, and are easily transported to wherever they may be needed. They are made from durable molded rubber that will withstand extreme temperatures. The speed bumps and humps include a textured surface, making them safe to use in inclement weather. They can also be used in construction areas to help slow down traffic while keeping workers safe. The speed bumps are easily set up wherever you need decreased traffic speeds.

## Features

Made of durable, molded rubber
Ideal for indoor or outdoor use
Able to withstand extreme temperatures without cracking or drying out
Features six mounting holes
Grooved surfaces ensure grip and traction, even in adverse conditions
Reflective yellow stripes easily spotted by motorists
Easily attach middle sections together to create custom lengths

## Specifications

Black rubber speed hump with six reflective stripes (three on each side). Male and female sides make end piece installation simple	
Weight	37 lbs / 25.04 kg
Height	2" / 5.08 cm
Length	35 1/4" / 89.53 cm
Width	19.5" / 49.53 cm (male side features two knobs that protrude 3/4", while female side features two 3/4" indentations used to accept corresponding middle or end piece)
Corner mounting holes set 2" to center from long and short side. Middle holes 15 5/8" center to center.	

## ADDITIONAL PRODUCTS

- Various fastener systems used for mounting to different surfaces: FS-1, FS-3
- Corresponding end pieces: VR-206-10E (sold separately)